

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 1/22/2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : Duftöl: Misty Morning
UFI : 47DP-4C3M-V00Y-W0YY

Product code

Type of product : Perfumes, fragrances
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only Use of the substance/mixture : Perfumes, fragrances

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Hansawax GmbH Lloyd Industriepark Richard-Dunkel-Straße 120 DE– 28199 Bremen T 49-421-57890808

hallo@hansawax.de - www.hansawax.de

## 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 1 H318
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Danger

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : Geraniol; Nerol; citral; Citronellol Pure; Vertenex; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-

tetramethyl-2-naphthalenyl)ethanone; Eucalyptus oil; Eucalyptol; Linalyl acetate; Rosemary Oil; (R)-p-mentha-1,8-diene; d-limonene; Vertofix; Linalool; Camphor; COUMARIN; .alpha.-Pinene; Aldehyde C-12; Orange oil; Geranyl acetate; Lime oil distilled; Petitgrain oil; Triplal

(Vertocitral); Benzyl salicylate; Cyclamal; Hexyl salicylate; dipentene; limonene

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

Extra phrases : For professional users only.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dihydromyrcenol	CAS-No.: 18479-58-8 EC-No.: 242-362-4 REACH-no: 01-2119457274- 37	4 – 8	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	1.3 – 2.5	Aquatic Chronic 2, H411
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	1.1 – 2.2	Skin Sens. 1B, H317
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	1.1 – 2.2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Eucalyptus oil	CAS-No.: 8000-48-4 EC-No.: 283-406-2 REACH-no: 01-2119978250- 37	1.1 – 2.2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

# Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Eucalyptol	CAS-No.: 470-82-6 EC-No.: 207-431-5 REACH-no: 01-2119967772- 24	1.1 – 2.2	Flam. Liq. 3, H226 Skin Sens. 1, H317
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	1.1 – 2.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Rosemary Oil	CAS-No.: 8000-25-7 EC-No.: 283-291-9	1.1 – 2.2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT SE 2, H371 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	1.1 – 2.2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Vertofix	CAS-No.: 32388-55-9 EC-No.: 251-020-3 REACH-no: 01-2119969651- 28	1 – 2	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	1 – 2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Terpinyl acetate	CAS-No.: 80-26-2 EC-No.: 201-265-7	1 – 2	Aquatic Chronic 2, H411
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430-	0.6 – 1.74951	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.712 – 1.574579	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Sandela	CAS-No.: 66068-84-6 EC-No.: 266-100-3	0.7 – 1.4	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0.36 – 1.24965	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

# Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Camphor substance with national workplace exposure limit(s) (AT, BE, BG, DK, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, RO, SK, NO, CH)	CAS-No.: 76-22-2 EC-No.: 200-945-0	0.6 – 1.2	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 Aquatic Chronic 2, H411
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.6 – 1.2	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	0.5 – 0.9997	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Aldehyde C-12	CAS-No.: 112-54-9 EC-No.: 203-983-6	0.3 – 0.6998	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	0.3 – 0.6	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	0.2 – 0.4999	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Allyl heptanoate	CAS-No.: 142-19-8 EC-No.: 205-527-1 REACH-no: 01-2119488961- 23	0.2 – 0.4999	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 3, H412
Lime oil distilled	CAS-No.: 8008-26-2 EC-No.: 290-010-3 REACH-no: 01-2120138646- 51	0.2 – 0.4999	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Petitgrain oil	CAS-No.: 8014-17-3 EC-No.: 277-143-2 REACH-no: 01-2120748358- 44	0.2 – 0.4999	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.2 – 0.4999	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	0.2 – 0.3167	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.1 – 0.2999	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.1 – 0.2534	Skin Sens. 1B, H317 Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410
dipentene; limonene substance with national workplace exposure limit(s) (EE, LT, SE, NO)	CAS-No.: 138-86-3 EC-No.: 205-341-0	0.1 – 0.2166	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Amyl salicylate	CAS-No.: 2050-08-0 EC-No.: 218-080-2 REACH-no: 01-2119969444- 27	0.1 – 0.19	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.036 – 0.124965	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317

Full text of H- and EUH-statements: see section 16

### **SECTION 4: First aid measures**

First-aid measures after ingestion

Symptoms/effects after inhalation

4.1. Descri	otion of	first aid	measures
T. I. DUSUII		III St ala	IIICusuics

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

: Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes. Symptoms/effects after ingestion : None under normal conditions.

1/22/2025 (Issue date) EN (English) 5/29

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment. Do not enter fire

area without proper protective equipment, including respiratory protection.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area. Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry

into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

1/22/2025 (Issue date) EN (English) 6/29

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed Precautions for safe handling

Hygiene measures

: Not expected to present a significant hazard under anticipated conditions of normal use.

Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal. Store always product in container of same material as

original container.

#### Germany

Storage class (LGK, TRGS 510) : LGK 10 - Combustible liquids

Joint storage table : IGK 1 IGK 24

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 2A, LGK 5.1A, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.2, LGK 4.3, LGK 5.1B, LGK 5.1C, LGK 5.2

Joint storage permitted for : LGK 2B, LGK 3, LGK 4.1B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B,

LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13

**Switzerland** 

Storage class (LK) : LK 10/12 - Liquids

#### 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

citral (5392-40-5)	
Belgium - Occupational Exposure Limits	
OEL TWA	32 mg/m³ (vapor and aerosol)
	5 ppm (vapor and aerosol)
OEL chemical category	Skin

# Safety Data Sheet

citral (5392-40-5)			
Ireland - Occupational Exposure Limits			
OEL TWA	5 ppm		
OEL STEL	15 ppm (calculated)		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	27 mg/m³		
NDSCh (OEL STEL)	54 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA	5 ppm (inhalable fraction; vapor)		
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA)	5 ppm (inhalable fraction and vapor)		
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA	5 ppm (inhalable fraction and vapor)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)		
Finland - Occupational Exposure Limits			
HTP (OEL TWA)	140 mg/m³		
	25 ppm		
HTP (OEL STEL)	280 mg/m³		
	50 ppm		
Germany - Occupational Exposure Limits (TRGS 900)			
AGW (OEL TWA)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Chemical category	Skin notation, Skin sensitization		
Slovenia - Occupational Exposure Limits			
OEL TWA	28 mg/m³		
	5 ppm		
OEL STEL	112 mg/m³		
	20 ppm		
OEL chemical category	Potential for cutaneous absorption		
Spain - Occupational Exposure Limits	•		
VLA-ED (OEL TWA)	168 mg/m³		
	30 ppm		
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption		

# Safety Data Sheet

(R)-p-mentha-1,8-diene; d-limonene	(5989-27-5)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m³	
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Lin	nits	
MAK (OEL TWA)	40 mg/m³	
	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
	14 ppm	
OEL chemical category	Sensitizer	
Camphor (76-22-2)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	13 mg/m³	
	2 ppm	
Belgium - Occupational Exposure Limits		
OEL TWA	12 mg/m³	
	2 ppm	
OEL STEL	19 mg/m³	
	3 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	12 mg/m³	
OEL STEL	18 mg/m³	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	13 mg/m³	
	2 ppm	
KGVI (OEL STEL)	19 mg/m³	
	3 ppm	
Denmark - Occupational Exposure Limits	5	
OEL TWA	12 mg/m³	
	2 ppm	
OEL STEL	24 mg/m³	
	4 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	1.9 mg/m³	
	0.3 ppm	
HTP (OEL STEL)	5.7 mg/m³	
	0.9 ppm	

# Safety Data Sheet

France - Occupational Exposure Limits           Greece - Occupational Exposure Limits         12 mg/m²           OEL TWA         12 mg/m² (inhalable fraction)           OEL TWA         12 mg/m² (inhalable fraction)           OEL TWA         12 mg/m²           OEL TWA         12 mg/m²           OEL TWA         12 mg/m²           OEL TWA         18 mg/m²           OEL STEL         18 mg/m²           DEL TWA         3 mg/m²           Portugal Occupational Exposure Limits           Lithuania - Occupational Exposure Limits           VPY (OEL TWA)         3 mg/m²           Portugal - Occupational Exposure Limits           NDS (OEL TWA)         12 mg/m²           OEL TWA         2 ppm           OEL TWA         3 ppm           OEL TWA         1 mg/m²           OEL TWA         1 mg/m²           OEL TWA         1 mg/m²           OEL TWA         1 mg/m²           OEL TWA         2 ppm           OEL TWA         1 mg/m²           OEL TWA         1 mg/m²           OEL TWA         1 mg/m²	Camphor (76-22-2)		
Greece - Occupational Exposure Limits         12 mg/m² (inhalable fraction)           CEL TWA         12 mg/m² (inhalable fraction)           CEL STEL         18 mg/m²           DEL TWA         12 mg/m²           CEL TWA         12 mg/m²           2 ppm         2 ppm           OEL STEL         18 mg/m²           3 ppm         3 ppm           Lithuania - Occupational Exposure Limits         Image: Compational Exposure Limits           IPRV (OEL TWA)         3 mg/m²           POINT OCCUPATIONAL EXPOSURE LIMITS         12 mg/m²           NDSCh (OEL TSEL)         18 mg/m²           OEL STEL         3 ppm           OEL STEL         3 ppm           OEL STEL         3 ppm           OEL Chemical Category         4 ppm           OEL Chemical Category         3 ppm           OEL CHIVA         1 mg/m²           OEL STEL         3 ppm           OEL STEL         3 ppm           OEL TWA         1 mg/m²           6 ppm         6 ppm           OEL STEL         3 mg/m²           15 ppm         1 mg/m²           16 ppm         2 ppm           NPHV (OEL TWA)         2 mg/m²           2 ppm         2 ppm </td <td>France - Occupational Exposure Limits</td> <td></td>	France - Occupational Exposure Limits		
Greece - Occupational Exposure Limits           OEL STEL         18 mg/m³ (inhalable fraction)           OEL STEL         18 mg/m³           DEL TWA         12 mg/m³           DEL TWA         12 mg/m³           DEL TWA         18 mg/m³           2 ppm         18 mg/m³           18 mg/m³         2 ppm           Lithuania - Occupational Exposure Limits           Lithuania - Occupational Exposure Limits           Poland - Occupational Exposure Limits           NDSC (OEL TWA)         12 mg/m²           NDSCN (OEL STEL)         8 mg/m²           OEL TWA         2 ppm           OEL TWA         2 ppm           OEL TWA         3 ppm           OEL TWA         4 Not Classiflable as a Human Cardinogen           Romania - Occupational Exposure Limits         1 mg/m³           OEL TWA         1 mg/m³           0 ppm         2 ppm           OEL STEL         3 mg/m³           0 ppm         2 ppm           OEL TWA         1 mg/m³           0 ppm         2 ppm           NPHY (OEL TWA)         2 mg/m³           0 ppm         2 ppm           NPHY (OEL TWA)         13 mg/m³	VME (OEL TWA)	12 mg/m³	
OEL TWA         12 mg/m² (nhaiabie fraction)           OEL STEL         18 mg/m²           Iroland - Occupational Exposure Limits         12 mg/m²           OEL STEL         18 mg/m²           OEL STEL         18 mg/m²           3 ppm         1 mg/m²           Ithiusaria - Occupational Exposure Limits         Image m²           Poliand - Occupational Exposure Limits         Image m²           NDSCh (OEL TWA)         12 mg/m²           NDSCh (OEL STEL)         18 mg/m²           POrtugal - Occupational Exposure Limits         Image m²           OEL STEL         3 ppm           OEL STEL         4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         Image m²           OEL TWA         1 mg/m²           OEL STEL         1 mg/m²           OEL STEL         1 mg/m²           OEL TWA         2 ppm           OEL STEL         2 ppm           OEL TWA         1 mg/m²           OEL TWA         2 ppm           OEL TWA         2 ppm           OEL TWA         2 ppm           NPHY (OEL TWA)         3 mg/m²           2 ppm         2 ppm           NPHY (OEL TWA)         13 mg/m²		2 ppm	
OEL STEL         18 mg/m²           Ireland - Occupational Exposure Limits         12 mg/m²           OEL STEL         18 mg/m²           OEL STEL         18 mg/m²           18 mg/m²         3 ppm           Lithuania - Occupational Exposure Limits         Image: Mg/m²           VPV (OEL TWA)         3 mg/m²           Poland - Occupational Exposure Limits         12 mg/m²           NDS (OEL TWA)         18 mg/m²           OEL TWA         2 ppm           OEL TWA         3 ppm           OEL STEL         3 ppm           OEL STEL         3 ppm           OEL Occupational Exposure Limits         1 mg/m²           OEL TWA         1 mg/m²           6 ppm         1 mg/m²           18 ppm         1 mg/m²           18 ppm         1 mg/m²           18 ppm         1 mg/m²           19 ppm         2 ppm           NPHV (OEL TWA)         13 mg/m²           2 ppm         2 ppm           NPHV (OEL TWA)         2 mg/m²           Spain - Occupational Exposure Limits         1 mg/m²           VLA-ED (OEL TWA)         13 mg/m²           2 ppm         2 ppm	Greece - Occupational Exposure Limits		
Iraland - Occupational Exposure Limits           OEL TWA         12 mg/m³           2 ppm         88 mg/m³           3 ppm         3 ppm           Lithuania - Occupational Exposure Limits           PREV (OEL TWA)         3 mg/m³           Poland - Occupational Exposure Limits           NDSC (OEL TWA)         12 mg/m³           NDSC (OEL STEL)         8 mg/m³           POPTUGAL - Occupational Exposure Limits         2 ppm           OEL TWA         2 ppm           OEL STEL         3 ppm           OEL STEL         3 ppm           OEL STEL         3 mg/m³           OEL TWA         1 mg/m³           OEL TWA         3 mg/m³           OEL STEL         3 mg/m³           0 ppm         3 mg/m³           18 ppm         3 ppm           OEL STEL         3 mg/m³           18 ppm         3 ppm           Soluta - Occupational Exposure Limits         2 ppm           NPHV (OEL TWA)         2 mg/m³           Spain - Occupational Exposure Limits         3 mg/m³           VL-EO (OEL TWA)         13 mg/m³           2 ppm         2 ppm           VL-EO (OEL TWA)         19 mg/m³ <tr< td=""><td>OEL TWA</td><td>12 mg/m³ (inhalable fraction)</td></tr<>	OEL TWA	12 mg/m³ (inhalable fraction)	
OEL TWA         12 mg/m³           OEL STEL         18 mg/m³           OEL STEL         18 mg/m³           18 mg/m³         3 pm           ILINEAU Cocupational Exposure Limits         3 mg/m³           NDS (OEL TWA)         3 mg/m³           NDSCh (OEL STEL)         18 mg/m²           OEL TWA         2 ppm           OEL STEL         3 ppm           OEL STEL         3 ppm           OEL Chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         1 mg/m³           6 ppm           OEL STEL         3 mg/m³           6 ppm           Storakia - Occupational Exposure Limits           NPHV (OEL TWA)         13 mg/m³           2 ppm           NPHV (OEL TWA)         2 ppm           NPHV (OEL TWA)         13 mg/m³           2 ppm           VL-EC (OEL TWA)         19 mg/m³           2 ppm           VL-EC (OEL TWA)         19 mg/m³           2 ppm           VL-EC (OEL TWA)         19 mg/m³           3 ppm           United Kingdom - Occupational Exposure Limits </td <td>OEL STEL</td> <td>18 mg/m³</td>	OEL STEL	18 mg/m³	
DEL STEL         2 pm           OEL STEL         18 mg/m³           Japm           Lithuania - Occupational Exposure Limits           PRV (OEL TWA)         3 mg/m³           Poliand - Occupational Exposure Limits         12 mg/m³           NDSCh (OEL STEL)         18 mg/m³           Portugal - Occupational Exposure Limits         2 ppm           OEL TWA         2 ppm           OEL STEL         3 ppm           OEL Chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         1 mg/m³           OEL STEL         3 mg/m³           6 ppm         2 ppm           Stockia - Occupational Exposure Limits         1 mg/m³           Siovakia - Occupational Exposure Limits         2 ppm           NPHV (OEL TWA)         2 mg/m³           Spain - Occupational Exposure Limits         2 ppm           Spain - Occupational Exposure Limits         2 ppm           VL-EC (OEL TWA)         2 mg/m³           3 ppm         2 ppm           VL-EC (OEL TWA)         3 mg/m³           1 mg/m³         2 ppm           VL-EC (OEL STEL)         3 ppm           United Kingdom - Occupational Exposure Limits         2 ppm	Ireland - Occupational Exposure Limits		
DELISTEL         18 mg/m³           Lithuania - Occupational Exposure Limits           POIATO COLUMAN         3 mg/m³           POIATO COLUMAN         12 mg/m³           NDS (OEL TWA)         12 mg/m³           NDS (OEL TWA)         12 mg/m³           NDS (OEL TWA)         12 mg/m³           OEL TWA         2 ppm           OEL TWA         3 ppm           OEL STEL         3 ppm           OEL STEL         4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         6 ppm           OEL TWA         1 mg/m³           6 ppm         6 ppm           OEL STEL         3 mg/m³           18 pm         1 mg/m³           19 pm         1 mg/m³           10 pm         2 ppm           NPHY (OEL TWA)         13 mg/m³           2 ppm         2 ppm           NPHY (OEL TWA)         2 mg/m³           Spain - Occupational Exposure Limits         2 ppm           VLA-EQ (OEL TWA)         1 mg/m³           2 ppm         2 ppm           VLA-EQ (OEL STEL)         2 ppm           VLA-EQ (OEL STEL)         3 ppm           2 ppm         2 ppm <t< td=""><td>OEL TWA</td><td>12 mg/m³</td></t<>	OEL TWA	12 mg/m³	
Lithuania - Occupational Exposure Limits           IPRV (OEL TWA)         3 mg/m²           Poland - Occupational Exposure Limits           NDS (OEL TWA)         12 mg/m³           NDSC (OEL STEL)         18 mg/m³           Portugal - Occupational Exposure Limits         2 ppm           OEL TWA         2 ppm           OEL STEL         3 ppm           OEL chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         1 mg/m³           OEL STEL         3 mg/m³           6 ppm         4 ppm           OEL STEL         3 mg/m³           1 sppm         1 sppm           Slovakia - Occupational Exposure Limits         1 mg/m³           NPHV (OEL TWA)         2 mg/m³           1 ppm         2 ppm           NPHV (OEL C)         2 mg/m³           2 ppm         2 ppm           VLA-EC (OEL STEL)         1 mg/m³           1 ppm         2 ppm           VLA-EC (OEL STEL)         19 mg/m³           1 ppm         2 ppm           VLA-EC (OEL STEL)         1 mg/m³           1 ppm         2 ppm           VLA-EC (OEL STEL)         1 mg/m³ <td< td=""><td></td><td>2 ppm</td></td<>		2 ppm	
Lithuania - Occupational Exposure Limits           PRV (OEL TWA)         3 mg/m²           Poland - Occupational Exposure Limits           NDSCh (OEL STEL)         18 mg/m²           Portugal - Occupational Exposure Limits           OEL TWA         2 ppm           OEL STEL         3 ppm           OEL Chemical category         A - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         T mg/m²           OEL STEL         3 mg/m²           6 ppm         3 mg/m²           18 ppm         18 ppm           Slovakia - Occupational Exposure Limits           NPHV (OEL TWA)         13 mg/m²           2 ppm         2 ppm           NPHV (OEL TWA)         13 mg/m²           Spain - Occupational Exposure Limits           VL-EC (OEL TWA)         19 mg/m²           2 ppm         2 ppm           VL-EC (OEL TWA)         19 mg/m²           3 ppm         2 ppm           VL-EC (OEL STEL)         19 mg/m²           VL-EC (OEL STEL)         19 mg/m²           VL-EC (OEL STEL)         19 mg/m²           Polyman	OEL STEL	18 mg/m³	
IPRY (OEL TWA)         3 mg/m³           Poland - Occupational Exposure Limits           NDS (OEL TWA)         12 mg/m³           NDSCh (OEL STEL)         18 mg/m³           Portugal - Occupational Exposure Limits         Cel TWA           OEL TWA         2 ppm           OEL STEL         3 ppm           OEL chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         Telegram           OEL STEL         3 mg/m³           3 mg/m³         3 mg/m³           5 lovakia - Occupational Exposure Limits         Telegram           Slovakia - Occupational Exposure Limits         3 mg/m³           Phyl (OEL TWA)         3 mg/m³           2 ppm         3 ppm           NPHV (OEL C)         26 mg/m³           Spain - Occupational Exposure Limits         Telegram           VLA-ED (OEL TWA)         13 mg/m³           2 ppm         Punch           VLA-ED (OEL STEL)         19 mg/m³           3 ppm         2 ppm           United Kingdom - Occupational Exposure Limits         2 ppm           WEL TWA (OEL TWA)         3 mg/m³         2 ppm           United Kingdom - Occupational Exposure Limits         2 ppm           WEL		3 ppm	
Poland - Occupational Exposure Limits           NDS (OEL TWA)         12 mg/m²           NDSCh (OEL STEL)         18 mg/m²           Portugal - Occupational Exposure Limits           OEL TWA         2 ppm           OEL STEL         3 ppm           OEL chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits           OEL TWA         1 mg/m²           6 ppm         6 ppm           Slovakia - Occupational Exposure Limits           NPHV (OEL TWA)         13 mg/m²           2 ppm         Ppm           NPHV (OEL TWA)         2 mg/m²           Spain - Occupational Exposure Limits         VLA-ED (OEL TWA)           VLA-ED (OEL TWA)         13 mg/m²           2 ppm         2 ppm           VLA-EC (OEL STEL)         19 mg/m²           3 ppm         2 ppm           United Kingdom - Occupational Exposure Limits           WEL TWA (OEL TWA)         13 mg/m²           2 ppm         2 ppm           United Kingdom - Occupational Exposure Limits           WEL TWA (OEL TWA)           13 mg/m²         2 ppm           United Kingdom - Occupation	Lithuania - Occupational Exposure Limits		
NDS (OEL TWA)         12 mg/m²           NDSCh (OEL STEL)         18 mg/m²           Portugal - Occupational Exposure Limits         2 ppm           OEL TWA         2 ppm           OEL STEL         3 ppm           OEL chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         1 mg/m²           6 ppm           OEL TWA         3 mg/m²           18 ppm           Slovakia - Occupational Exposure Limits           NPHV (OEL TWA)         13 mg/m²           2 ppm           NPHV (OEL C)         26 mg/m²           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         13 mg/m²           2 ppm           VLA-EC (OEL STEL)         19 mg/m²           3 ppm           United Kingdom - Occupational Exposure Limits           WEL TWA (OEL TWA)         13 mg/m²           2 ppm           United Kingdom - Occupational Exposure Limits           WEL TWA (OEL TWA)         13 mg/m²           2 ppm           United Kingdom - Occupational Exposure Limits           WEL TWA (OEL TWA)         19 mg/m²           2 ppm	IPRV (OEL TWA)	3 mg/m³	
NDSCh (OEL STEL)         18 mg/m²           Portugal - Occupational Exposure Limits         2 ppm           OEL TWA         2 ppm           OEL STEL         3 ppm           OEL chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits           OEL TWA         1 mg/m²           6 ppm           OEL STEL         3 mg/m²           18 ppm           Slovakia - Occupational Exposure Limits           NPHV (OEL TWA)         13 mg/m²           2 ppm           NPHV (OEL C)         26 mg/m²           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         13 mg/m²           2 ppm           VLA-EC (OEL STEL)         19 mg/m²           3 ppm           United Kingdom - Occupational Exposure Limits           WEL TWA (OEL TWA)         13 mg/m²           2 ppm           United Kingdom - Occupational Exposure Limits           WEL TWA (OEL TWA)         19 mg/m²           2 ppm	Poland - Occupational Exposure Limits		
Portugal - Occupational Exposure Limits           OEL TWA         2 ppm           OEL STEL         3 ppm           OEL chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits           OEL TWA         1 mg/m³           6 ppm           OEL STEL         3 mg/m³           8 ppm           Slovakia - Occupational Exposure Limits           NPHV (OEL TWA)         13 mg/m³           2 ppm           NPHV (OEL C)         26 mg/m³           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         13 mg/m³           2 ppm           VLA-EC (OEL STEL)         19 mg/m³           3 ppm           United Kingdom - Occupational Exposure Limits           WEL TWA (OEL TWA)         13 mg/m³           2 ppm           WEL TWA (OEL TWA)         13 mg/m³           2 ppm           WEL STEL (OEL STEL)         19 mg/m³	NDS (OEL TWA)	12 mg/m³	
OEL TWA         2 ppm           OEL STEL         3 ppm           OEL chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         1 mg/m³           6 ppm         6 ppm           OEL STEL         3 mg/m³           5 lovakia - Occupational Exposure Limits         8 ppm           NPHV (OEL TWA)         13 mg/m³           2 ppm           NPHV (OEL C)         26 mg/m³           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         13 mg/m³           2 ppm           VLA-EC (OEL STEL)         19 mg/m³           3 ppm           United Kingdom - Occupational Exposure Limits           WEL TWA (OEL TWA)         13 mg/m³           2 ppm           WEL TWA (OEL TWA)         19 mg/m³           2 ppm	NDSCh (OEL STEL)	18 mg/m³	
OEL STEL         3 ppm           OEL chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits           OEL TWA         1 mg/m³           6 ppm           OEL STEL         3 mg/m³           18 ppm           Slovakia - Occupational Exposure Limits           NPHV (OEL TWA)         13 mg/m³           2 ppm           NPHV (OEL C)         26 mg/m³           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         13 mg/m³           2 ppm           VLA-EC (OEL STEL)         19 mg/m³           3 mg/m³         2 ppm           United Kingdom - Occupational Exposure Limits         WEL TWA (OEL TWA)         13 mg/m³           2 ppm         2 ppm           WEL TWA (OEL TWA)         19 mg/m³           2 ppm           WEL TWA (OEL TWA)         19 mg/m³           2 ppm           WEL STEL (OEL STEL)         19 mg/m³	Portugal - Occupational Exposure Limits		
OEL chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         1 mg/m³           6 ppm           OEL TWA         3 mg/m³           18 ppm           Slovakia - Occupational Exposure Limits           NPHV (OEL TWA)         13 mg/m³           2 ppm           NPHV (OEL C)         26 mg/m³           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         13 mg/m³           2 ppm           VLA-EC (OEL STEL)         19 mg/m³           3 ppm           United Kingdom - Occupational Exposure Limits           WEL TWA (OEL TWA)         13 mg/m²           2 ppm           Well STEL (OEL STEL)         13 mg/m²           2 ppm	OEL TWA	2 ppm	
Romania - Occupational Exposure Limits           OEL TWA         1 mg/m³           6 ppm         6 ppm           OEL STEL         3 mg/m³           18 ppm         18 ppm           Slovakia - Occupational Exposure Limits         13 mg/m³           2 ppm         2 ppm           NPHV (OEL C)         26 mg/m³           Spain - Occupational Exposure Limits         13 mg/m³           2 ppm           VLA-ED (OEL TWA)         19 mg/m³           3 ppm           United Kingdom - Occupational Exposure Limits           WEL TWA (OEL TWA)         13 mg/m³           2 ppm           WEL TWA (OEL TWA)         13 mg/m³           2 ppm           WEL STEL (OEL STEL)         19 mg/m³	OEL STEL	3 ppm	
OEL TWA         1 mg/m³           6 ppm         6 ppm           OEL STEL         3 mg/m³           18 ppm         18 ppm           Slovakia - Occupational Exposure Limits         13 mg/m³           NPHV (OEL TWA)         2 ppm           NPHV (OEL C)         26 mg/m³           Spain - Occupational Exposure Limits         13 mg/m³           VLA-ED (OEL TWA)         19 mg/m³           VLA-EC (OEL STEL)         19 mg/m³           VLA-EC (OEL STEL)         13 mg/m³           United Kingdom - Occupational Exposure Limits         VLA-EC (OEL TWA)           WEL TWA (OEL TWA)         13 mg/m³           2 ppm         2 ppm           WEL STEL (OEL STEL)         19 mg/m³           WEL STEL (OEL STEL)         19 mg/m³	OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Position of Exercise of Exerci	Romania - Occupational Exposure Limits		
OEL STEL         3 mg/m³           Slovakia - Occupational Exposure Limits         13 mg/m³           NPHV (OEL TWA)         13 mg/m³           2 ppm           NPHV (OEL C)         26 mg/m³           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         13 mg/m³           2 ppm           VLA-EC (OEL STEL)         19 mg/m³           3 ppm           United Kingdom - Occupational Exposure Limits           WEL TWA (OEL TWA)         13 mg/m³           2 ppm           WEL STEL (OEL STEL)         19 mg/m³           WEL STEL (OEL STEL)         19 mg/m³	OEL TWA	1 mg/m³	
Slovakia - Occupational Exposure Limits   NPHV (OEL TWA)   13 mg/m³   2 ppm     NPHV (OEL C)   26 mg/m³     Spain - Occupational Exposure Limits   VLA-ED (OEL TWA)   13 mg/m³   2 ppm     VLA-EC (OEL STEL)   19 mg/m³   3 ppm     United Kingdom - Occupational Exposure Limits   WEL TWA (OEL TWA)   13 mg/m³   2 ppm     United Kingdom - Occupational Exposure Limits   13 mg/m³   2 ppm     WEL STEL (OEL STEL)   19 mg/m³   3 mg/m³   3 pm     WEL STEL (OEL STEL)   19 mg/m³   3 mg/m³   3 pm     WEL STEL (OEL STEL)   19 mg/m³   3 mg/m³   3 pm     WEL STEL (OEL STEL)   19 mg/m³   3 mg/m³   3 pm     WEL STEL (OEL STEL)   19 mg/m³   3 mg/m³   3 pm     WEL STEL (OEL STEL)   19 mg/m³   3 mg/m³   3 pm     WEL STEL (OEL STEL)   19 mg/m³   3 mg/m³   3 pm     WEL STEL (OEL STEL)   19 mg/m³   3 mg/m³   3 pm     WEL STEL (OEL STEL)   19 mg/m³   3 mg/m³   3 pm     WEL STEL (OEL STEL)   19 mg/m³   19 mg/m³		6 ppm	
Slovakia - Occupational Exposure Limits  NPHV (OEL TWA)  13 mg/m³ 2 ppm  NPHV (OEL C)  26 mg/m³  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA)  13 mg/m³ 2 ppm  VLA-EC (OEL STEL)  19 mg/m³ 3 ppm  United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA)  13 mg/m³ 2 ppm  United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA)  13 mg/m³ 2 ppm  United Kingdom - Occupational Exposure Limits  WEL STEL (OEL STEL)  19 mg/m³ 19 mg/m³	OEL STEL	3 mg/m³	
NPHV (OEL TWA)       13 mg/m³         2 ppm         NPHV (OEL C)       26 mg/m³         Spain - Occupational Exposure Limits         VLA-ED (OEL TWA)       13 mg/m³         2 ppm         VLA-EC (OEL STEL)       19 mg/m³         3 ppm         United Kingdom - Occupational Exposure Limits         WEL TWA (OEL TWA)       13 mg/m³         2 ppm         WEL STEL (OEL STEL)       19 mg/m³		18 ppm	
Page			
NPHV (OEL C)         26 mg/m³           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         13 mg/m³           2 ppm           VLA-EC (OEL STEL)         19 mg/m³           3 ppm           United Kingdom - Occupational Exposure Limits           WEL TWA (OEL TWA)         13 mg/m³           2 ppm           WEL STEL (OEL STEL)         19 mg/m³	NPHV (OEL TWA)	13 mg/m³	
Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         13 mg/m³           2 ppm           VLA-EC (OEL STEL)         19 mg/m³           3 ppm           United Kingdom - Occupational Exposure Limits           WEL TWA (OEL TWA)         13 mg/m³           2 ppm           WEL STEL (OEL STEL)         19 mg/m³		2 ppm	
VLA-ED (OEL TWA)       13 mg/m³         2 ppm         VLA-EC (OEL STEL)       19 mg/m³         3 ppm         United Kingdom - Occupational Exposure Limits         WEL TWA (OEL TWA)       13 mg/m³         2 ppm         WEL STEL (OEL STEL)       19 mg/m³	NPHV (OEL C)	26 mg/m³	
VLA-EC (OEL STEL)       19 mg/m³         3 ppm         United Kingdom - Occupational Exposure Limits         WEL TWA (OEL TWA)       13 mg/m³         2 ppm         WEL STEL (OEL STEL)       19 mg/m³	Spain - Occupational Exposure Limits		
VLA-EC (OEL STEL)       19 mg/m³         3 ppm         United Kingdom - Occupational Exposure Limits         WEL TWA (OEL TWA)       13 mg/m³         2 ppm         WEL STEL (OEL STEL)       19 mg/m³	VLA-ED (OEL TWA)	13 mg/m³	
3 ppm  United Kingdom - Occupational Exposure Limits  WEL TWA (OEL TWA)  13 mg/m³ 2 ppm  WEL STEL (OEL STEL)  19 mg/m³		2 ppm	
WEL TWA (OEL TWA)  13 mg/m³ 2 ppm  WEL STEL (OEL STEL)  19 mg/m³	VLA-EC (OEL STEL)	19 mg/m³	
WEL TWA (OEL TWA)     13 mg/m³       2 ppm       WEL STEL (OEL STEL)     19 mg/m³		3 ppm	
2 ppm WEL STEL (OEL STEL) 19 mg/m³	United Kingdom - Occupational Exposure Limits	•	
WEL STEL (OEL STEL)  19 mg/m³	WEL TWA (OEL TWA)	13 mg/m³	
		2 ppm	
3 ppm	WEL STEL (OEL STEL)	19 mg/m³	
		3 ppm	

# Safety Data Sheet

Camphor (76-22-2)	
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	12 mg/m³
	2 ppm
Korttidsverdi (OEL STEL)	18 mg/m³ (value calculated)
	4 ppm (value calculated)
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	13 mg/m³ (aerosol, vapour)
	2 ppm (aerosol, vapour)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	2 ppm (synthetic)
ACGIH OEL STEL	3 ppm (synthetic)
ACGIH chemical category	Not Classifiable as a Human Carcinogen synthetic
.alphaPinene (80-56-8)	
Belgium - Occupational Exposure Limits	
OEL TWA	20 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	150 mg/m³
	25 ppm
TPRV (OEL STEL)	300 mg/m³
	50 ppm
Portugal - Occupational Exposure Limits	
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	113 mg/m³
	20 ppm
OEL chemical category	Sensitizer
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	150 mg/m³
	25 ppm
KGV (OEL STEL)	300 mg/m³

# Safety Data Sheet

.alphaPinene (80-56-8)			
	50 ppm		
OEL chemical category	Sensitizer		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA)	140 mg/m³		
	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
	37.5 ppm (value calculated)		
OEL chemical category	Skin notation		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer		
dipentene; limonene (138-86-3)			
Estonia - Occupational Exposure Limits			
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	150 mg/m³		
	25 ppm		
TPRV (OEL STEL)	300 mg/m³		
	50 ppm		
OEL chemical category	Sensitizer coniferous resin sensitizes the skin		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	150 mg/m³		
	25 ppm		
KGV (OEL STEL)	300 mg/m³		
	50 ppm		
OEL chemical category	Sensitizer		
Norway - Occupational Exposure Limits	· · · · · · · · · · · · · · · · · · ·		
Grenseverdi (OEL TWA)	140 mg/m³		
	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
	37.5 ppm (value calculated)		
OEL chemical category	Allergenic substance		
	1		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):





# 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

## 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear protective gloves.

## 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

### Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Conforms to standard.

Odour: characteristic.Odour threshold: Not availableMelting point: Not applicableFreezing point: Not available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Boiling point : Not available Flammability : Not applicable Lower explosion limit : Not available : Not available Upper explosion limit Flash point 76 °C Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available рΗ Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : 0.007139431 mm Hg (calculated value)

Vapour pressure at 50°C : Not available
Density : Not available
Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 17.710165 % (calculated value)(CARB VOC) (%w/w)

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# 10.2. Chemical stability

Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

# 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

	Dihydromyrcenol (18479-58-8)	
	LD50 oral rat	3600 mg/kg (Source: NLM_CIP)
	LD50 oral	3020 ma/kg

# Safety Data Sheet

Dihydromyrcenol (18479-58-8)		
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
Verdox (88-41-5)		
LD50 oral rat	4600 mg/kg (Source: NLM_CIP)	
LD50 oral	4600 mg/kg	
Geraniol (106-24-1)		
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)	
LD50 oral	3600 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)	
Nerol (106-25-2)		
LD50 oral rat	4500 mg/kg (Source: NLM_CIP)	
LD50 oral	4500 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)	
citral (5392-40-5)		
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)	
Citronellol Pure (106-22-9)		
LD50 oral rat	3450 mg/kg (Source: NLM_CIP)	
LD50 oral	3450 mg/kg bodyweight	
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)	
LD50 dermal	2650 mg/kg bodyweight	
Vertenex (32210-23-4)		
LD50 oral rat	5 g/kg (Source: NLM_CIP)	
LD50 oral	3370 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Eucalyptus oil (8000-48-4)		
LD50 oral rat	2480 mg/kg (Source: NLM_CIP)	
Eucalyptol (470-82-6)		
LD50 oral rat	2480 mg/kg (Source: NLM_CIP)	
LD50 oral	2480 mg/kg bodyweight	
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)	
LC50 Inhalation - Rat	> 18.94 mg/l (Exposure time: 8 h Source: ECHA)	
Rosemary Oil (8000-25-7)		
LD50 oral rat	5 g/kg (Source: NLM_CIP)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	

# Safety Data Sheet

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)				
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)			
Vertofix (32388-55-9)				
LD50 oral	4500 mg/kg bodyweight			
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)			
Linalool (78-70-6)				
LD50 oral	2790 mg/kg			
Terpinyl acetate (80-26-2)				
LD50 oral rat	5075 mg/kg (Source: NLM_CIP)			
Sandela (66068-84-6)				
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)			
LC50 Inhalation - Rat	> 5.27 mg/l/4h			
Camphor (76-22-2)				
LD50 oral	1500 mg/kg			
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)			
COUMARIN (91-64-5)				
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)			
LD50 dermal rat	293 mg/kg (Source: ECHA_API)			
.alphaPinene (80-56-8)	.alphaPinene (80-56-8)			
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)			
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)			
Aldehyde C-12 (112-54-9)				
LD50 oral rat	23 g/kg (Source: NLM_CIP)			
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)			
Orange oil (8008-57-9)				
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)			
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)			
Geranyl acetate (105-87-3)				
LD50 oral rat	6330 mg/kg (Source: NLM_CIP)			
Allyl heptanoate (142-19-8)				
LD50 oral rat	500 mg/kg (Source: NLM_CIP)			
LD50 oral	218 mg/kg			
LD50 dermal rabbit	810 mg/kg (Source: ECHA_API)			
LD50 dermal	810 mg/kg			
Lime oil distilled (8008-26-2)				
LD50 oral rat	5600 mg/kg			
LD50 dermal rabbit	> 5000 mg/kg			

# Safety Data Sheet

Petitgrain oil (8014-17-3)			
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)		
Triplal (Vertocitral) (68039-49-6)			
LD50 oral	2330 mg/kg		
Benzyl salicylate (118-58-1)			
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)		
LD50 oral	2200 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)		
Cyclamal (103-95-7)			
LD50 oral rat	3810 mg/kg (Source: NLM_CIP)		
LD50 oral	3810 mg/kg bodyweight		
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)		
Hexyl salicylate (6259-76-3)			
LD50 oral rat	> 5 g/kg (Source: ECHA)		
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)		
dipentene; limonene (138-86-3)			
LD50 oral rat	5300 mg/kg (Source: NLM_CIP)		
Amyl salicylate (2050-08-0)			
LD50 oral rat	4100 mg/kg (Source: NZ_CCID)		
LD50 oral	2000 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)		
Skin corrosion/irritation :	Causes skin irritation.		
Serious eye damage/irritation :	Causes serious eye damage.		
Respiratory or skin sensitisation :	May cause an allergic skin reaction.		
3	Not classified  Not classified		
Carcinogenicity : (R)-p-mentha-1,8-diene; d-limonene (5989-27-			
IARC group	3 - Not classifiable		
COUMARIN (91-64-5)			
IARC group	3 - Not classifiable		
	Not classified		
	Not classified		
Rosemary Oil (8000-25-7)			
STOT-single exposure	May cause damage to organs.		
Camphor (76-22-2)			
STOT-single exposure	May cause damage to organs.		
STOT-repeated exposure :	Not classified		
Aspiration hazard :	Not classified		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)		
Hydrocarbon	Yes		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

alphaPinene (80-56-8)	
Hydrocarbon Yes  dipentene; limonene (138-86-3)	

### 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and

: Based on available data, the classification criteria are not met

symptoms

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general

: Toxic to aquatic life with long lasting effects.

: Not classified

Hazardous to the aquatic environment, short–term

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Toxic to aquatic life with long lasting effects.

(Gillottic)			
Geraniol (106-24-1)			
22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)			
Nerol (106-25-2)			
20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)			
7 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
16 mg/l (Species: Desmodesmus subspicatus)			
19 mg/l (Species: Desmodesmus subspicatus)			
8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)			
Eucalyptol (470-82-6)			
95.4 (95.4 – 109) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])			
Linalyl acetate (115-95-7)			
11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)			
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)			
0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)			
35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)			
88.3 mg/l (Species: Desmodesmus subspicatus)			

# Safety Data Sheet

Terpinyl acetate (80-26-2)			
LC50 - Fish [1]	> 11 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: ECHA)		
.alphaPinene (80-56-8)			
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)		
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
Benzyl salicylate (118-58-1)			
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
12.2. Persistence and degradability			
Duftöl: Misty Morning			
Persistence and degradability	Not established.		
Dihydromyrcenol (18479-58-8)			
Persistence and degradability	Rapidly degradable		
Verdox (88-41-5)			
Persistence and degradability	Rapidly degradable		
Geraniol (106-24-1)			
Persistence and degradability	Rapidly degradable		
Nerol (106-25-2)	Nerol (106-25-2)		
Persistence and degradability	Rapidly degradable		
citral (5392-40-5)			
Persistence and degradability	Rapidly degradable		
Citronellol Pure (106-22-9)			
Persistence and degradability	Rapidly degradable		
Vertenex (32210-23-4)			
Persistence and degradability	Rapidly degradable		
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy	vl-2-naphthalenyl)ethanone (54464-57-2)		
Persistence and degradability	Rapidly degradable		
Eucalyptus oil (8000-48-4)			
Persistence and degradability	Not established.		
Eucalyptol (470-82-6)			
Persistence and degradability	Rapidly degradable		
Linalyl acetate (115-95-7)			
Persistence and degradability	Rapidly degradable		
Rosemary Oil (8000-25-7)			
Persistence and degradability	Rapidly degradable		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)		
Persistence and degradability	Rapidly degradable		

# Safety Data Sheet

Vertofix (32388-55-9)		
Persistence and degradability	Rapidly degradable	
Linalool (78-70-6)		
Persistence and degradability	Rapidly degradable	
Terpinyl acetate (80-26-2)		
Persistence and degradability	Rapidly degradable	
Sandela (66068-84-6)		
Persistence and degradability	Rapidly degradable	
Camphor (76-22-2)		
Persistence and degradability	Rapidly degradable	
COUMARIN (91-64-5)		
Persistence and degradability	Rapidly degradable	
.alphaPinene (80-56-8)		
Persistence and degradability	Rapidly degradable	
Aldehyde C-12 (112-54-9)		
Persistence and degradability	Rapidly degradable	
Orange oil (8008-57-9)		
Persistence and degradability	Rapidly degradable	
Geranyl acetate (105-87-3)		
Persistence and degradability	Rapidly degradable	
Allyl heptanoate (142-19-8)		
Persistence and degradability	Rapidly degradable	
Lime oil distilled (8008-26-2)		
Persistence and degradability	Rapidly degradable	
Petitgrain oil (8014-17-3)		
Persistence and degradability	Rapidly degradable	
Triplal (Vertocitral) (68039-49-6)		
Persistence and degradability	Rapidly degradable	
Benzyl salicylate (118-58-1)		
Persistence and degradability	Rapidly degradable	
Cyclamal (103-95-7)		
Persistence and degradability	Not established.	
Hexyl salicylate (6259-76-3)		
Persistence and degradability	Rapidly degradable	
dipentene; limonene (138-86-3)		
Persistence and degradability	Rapidly degradable	

# Safety Data Sheet

Amyl salicylate (2050-08-0)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
Duftöl: Misty Morning		
Bioaccumulative potential	Not established.	
Dihydromyrcenol (18479-58-8)		
Partition coefficient n-octanol/water (Log Pow)	3.25 (at 40 °C (at pH 7)	
Geraniol (106-24-1)		
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)	
Nerol (106-25-2)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 30 °C (at pH 6.5)	
citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)	
Citronellol Pure (106-22-9)		
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)	
Vertenex (32210-23-4)		
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)	
Eucalyptus oil (8000-48-4)		
Bioaccumulative potential	Not established.	
Eucalyptol (470-82-6)		
Partition coefficient n-octanol/water (Log Pow)	3.4	
Linalyl acetate (115-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
Vertofix (32388-55-9)		
BCF - Fish [1]	(3920 dimensionless (organ w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.6 – 5.9	
Terpinyl acetate (80-26-2)		
Partition coefficient n-octanol/water (Log Pow)	4.4 (at 30 °C (at pH 7)	
Camphor (76-22-2)		
Partition coefficient n-octanol/water (Log Pow)	2.414 (at 25 °C)	
.alphaPinene (80-56-8)		
Partition coefficient n-octanol/water (Log Pow)	4.1	
Aldehyde C-12 (112-54-9)		
Partition coefficient n-octanol/water (Log Pow)	4.9 (at 35 °C)	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Geranyl acetate (105-87-3)		
Partition coefficient n-octanol/water (Log Pow)	4.04	
Allyl heptanoate (142-19-8)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 20 °C (at pH 5.3)	
Petitgrain oil (8014-17-3)		
Partition coefficient n-octanol/water (Log Pow)	3.38 – 4.88	
Benzyl salicylate (118-58-1)		
Partition coefficient n-octanol/water (Log Pow)	4	
Cyclamal (103-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)	
Bioaccumulative potential	Not established.	
Hexyl salicylate (6259-76-3)		
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)	
Amyl salicylate (2050-08-0)		
BCF - Fish [1]	(1170 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 30 °C)	

#### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

Additional information : Avoid release to the environment.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

Additional information

**Ecological information** 

HP Code

Sewage disposal recommendations

Product/Packaging disposal recommendations

done according to official regulations.

: Do not re-use empty containers.

: Disposal must be done according to official regulations.

Disposal must be done according to official regulations.

: Avoid release to the environment.

: HP4 - "Irritant - skin irritation and eye damage:" waste which on application can cause skin

Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Dispose in a safe manner in accordance with local/national regulations. Disposal must be

irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one

or more sectors of the environment

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

1/22/2025 (Issue date) EN (English) 22/29

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone)	Environmentally hazardous substance, liquid, n.o.s. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone), 9,	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone), 9, III
14.3. Transport hazard o	class(es)			
9	9	9	9	9
**************************************	3 ¥2	**************************************	**************************************	9
14.4. Packing group				
III	111	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available	1	1	1

### 14.6. Special precautions for user

## **Overland transport**

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

1/22/2025 (Issue date) EN (English) 23/29

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : -

EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) : PP1 Special packing provisions (IMDG) IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) T4 Tank special provisions (IMDG) TP1, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Carriage permitted (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

# 14.7. Maritime transport in bulk according to IMO instruments

#### Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

# **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Eucalyptus oil ; Eucalyptol ; Rosemary Oil ; (R)-p- mentha-1,8-diene; d- limonene ; .alphaPinene ; Orange oil ; Lime oil distilled ; dipentene; limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Duftöl: Misty Morning; Dihydromyrcenol; Geraniol; Nerol; citral; Citronellol Pure; Vertenex; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Eucalyptus oil; Eucalyptus oil; Eucalyptol; Linalyl acetate; Rosemary Oil; (R)-p-mentha-1,8-diene; d- limonene; Vertofix; Linalool; Sandela; .alphaPinene; Aldehyde C-12; Orange oil; Geranyl acetate; Allyl heptanoate; Lime oil distilled; Petitgrain oil; Triplal (Vertocitral); Benzyl salicylate; Cyclamal; Hexyl salicylate; dipentene; limonene; Amyl salicylate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	Duftöl: Misty Morning; Verdox; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Eucalyptus oil; Rosemary Oil; (R)-p-mentha-1,8- diene; d-limonene; Vertofix; Terpinyl acetate; Sandela; .alphaPinene; Orange oil; Geranyl acetate; Allyl heptanoate; Lime oil distilled; Petitgrain oil; Triplal (Vertocitral); Benzyl salicylate; Cyclamal; Hexyl salicylate;	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	dipentene; limonene; Eucalyptus oil; Eucalyptus oil; Eucalyptol Amyl salicylate; Rosemary Oil; (R)-p-mentha-1,8-diene; d-limonene; Camphor; .alphaPinene; Orange oil; Lime oil distilled; dipentene; limonene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

# **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### VOC Directive (2004/42)

VOC content : 17.710165 % (calculated value)(CARB VOC) (%w/w)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

1/22/2025 (Issue date) EN (English) 26/29

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen – Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

Eucalyptus oil,Rosemary Oil,Sandela,Orange oil ,Petitgrain oil,Triplal (Vertocitral) are listed
 None of the components are listed

: None of the components are listed

: None of the components are listed

**Denmark** 

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

: Eucalyptus oil,Rosemary Oil,Sandela,Orange oil,Petitgrain oil,Triplal (Vertocitral) are listed

the product

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Other information : None.

Full text of H- and EUF	Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
Flam. Sol. 2	Flammable solids, Category 2		
H226	Flammable liquid and vapour.		
H228	Flammable solid.		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H311	Toxic in contact with skin.		
H315	Causes skin irritation.		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H361	Suspected of damaging fertility or the unborn child.	
H361d	Suspected of damaging the unborn child.	
H371	May cause damage to organs.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.